

INCUBATORS

PRODUCT OVERVIEW | FOB Nansha

Article No.	Name	Description	Photo
JC-17	Thermoelectric Incubator 16 L	Heating and cooling; temperature: 8-43 °C Touchscreen; automatic temperature control Humidity range: 50-80%; power: 55 W High/low temperature protection; air circulation Net weight: 8.5 kg Dimensions (W × D × H): 25.8 × 50.2 × 40 cm	
JC-22	Thermoelectric Incubator 23 L	Heating and cooling; temperature: 8-43 °C Touchscreen; automatic temperature control Humidity range: 50-80%; power: 55 W High/low temperature protection; air circulation Net weight: 9.5 kg Dimensions (W × D × H): 25.8 × 50.2 × 46.5 cm	
JC-48	Thermoelectric Incubator 46 L	Heating and cooling; temperature: 8-43 °C Touchscreen; automatic temperature control Humidity range: 50-80%; power: 55 W High/low temperature protection; air circulation Net weight: 15 kg Dimensions (W × D × H): 34.5 × 50.8 × 62 cm	

INCUBATORS

PRODUCT OVERVIEW | FOB Nansha

Article No.	Name	Description	Photo
JC-52	Thermoelectric Incubator 48 L	Heating and cooling; temperature: 8-43 °C Touchscreen; automatic temperature control Humidity range: 50-80%; power: 55 W High/low temperature protection; air circulation Net weight: 14 kg Dimensions (W × D × H): 40 × 50.2 × 53 cm	
JC-118	Touchscreen Incubator 130 L	Heating and compressor cooling Automatic temperature control; Wi-Fi control Humidity range: 50-80%; power: 87 W High/low temperature protection; air circulation Net weight: 47 kg Dimensions (W × D × H): 59.5 × 56.5 × 82 cm	
JC-118E	Touchscreen Incubator 130 L	Heating and compressor cooling Automatic temperature control; Wi-Fi control Humidity range: 50-80%; power: 87 W High/low temperature protection; air circulation Net weight: 47 kg Dimensions (W × D × H): 59.5 × 56.5 × 82 cm	

INCUBATORS

PRODUCT OVERVIEW | FOB Nansha

Article No.	Name	Description	Photo
JC-220	Touchscreen Incubator 208 L	Heating and compressor cooling Automatic temperature control; Wi-Fi control Humidity range: 50-80%; power: 125 W High/low temperature protection; air circulation Net weight: 58 kg Dimensions (W × D × H): 59.5 × 56.5 × 125 cm	
JC-220E	Touchscreen Incubator 208 L	Heating and compressor cooling Automatic temperature control; Wi-Fi control Humidity range: 50-80%; power: 125 W High/low temperature protection; air circulation Net weight: 58 kg Dimensions (W × D × H): 59.5 × 56.5 × 125 cm	
JC-308	Touchscreen Incubator 308 L	Heating and compressor cooling Automatic temperature control; Wi-Fi control Humidity range: 50-80%; power: 125 W High/low temperature protection; air circulation Net weight: 68 kg Dimensions (W × D × H): 59.5 × 56.5 × 165 cm	

INCUBATORS

PRODUCT OVERVIEW | FOB Nansha

Article No.	Name	Description	Photo
JC-345	Touchscreen Incubator 308 L	Heating and compressor cooling Automatic temperature control; Wi-Fi control Humidity range: 50-80%; power: 135 W High/low temperature protection; air circulation Net weight: 68 kg Dimensions (W × D × H): 59.5 × 68 × 142 cm	
JC-435	Touchscreen Incubator 338 L	Heating and compressor cooling Automatic temperature control; Wi-Fi control Humidity range: 50-80%; power: 145 W High/low temperature protection; air circulation Net weight: 80 kg Dimensions (W × D × H): 59.5 × 56.5 × 180 cm	
JC-465	Touchscreen Incubator 450 L	Heating and compressor cooling Automatic temperature control; Wi-Fi control Humidity range: 50-80%; power: 145 W High/low temperature protection; air circulation Net weight: 80 kg Dimensions (W × D × H): 59.5 × 68 × 180 cm	